

Review Article

Transformation Optics and Transformation Electromagnetics: Comprehensive Review with Experimental Validation, Performance Analysis and Commercial Viability Assessment

K N V Khasim¹, B Rajasekar²

^{1,2}Department of ECE, Sathyabama Institute of Science and Technology, Tamil Nadu, India.

¹Corresponding Author : khasim19@gmail.com

Received: 26 November 2025

Revised: 27 December 2025

Accepted: 28 January 2026

Published: 20 February 2026

Abstract - The article presented here gives a detailed overview of Transformation Optics and Transformation Electromagnetics, and highlights the crucial gaps identified through a fine literature review. It includes proper experimental validation data that shows antenna gains of 15.7 to 16.1 dBi, beam steering capabilities up to $\pm 50^\circ$, and cloaking performance with Radar Cross Section (RCS) decreasing from -9.4 dB to -9.2 dB. The article also provides quantitative standards, detailed case studies of successful implementations, a thorough analysis of limitations, as well as an economic forecast projecting a \$20.9B market by 2035. The article also proposes an organized research roadmap that addresses manufacturing challenges, standardization requirements, and regulatory-related issues. This research work links theoretical concepts with real-world applications that offer the required essential guidance to researchers, engineers, and industry stakeholders in the Electromagnetics area.

Keywords - Transformation Optics, Transformation Electromagnetics, Metamaterials, Performance benchmarks, Economic analysis, Standardization, Future roadmap.

1. Introduction

In the development of Electromagnetic devices, Transformation Optics (TO) and Transformation Electromagnetics (TFEM) are becoming innovative methods. These are allowing the unmatched manipulation of EM fields through Coordinate transformations. From the early 2000s, these areas moved from theoretical concepts to practical technologies with verified experimental results and opportunities in commercial [1, 2]. Advancements in metamaterial manufacturing, the use of Artificial Intelligence in the design optimization, and advanced measurement methods have enabled the making of practical devices from theoretical concepts [3]. In recent times, the experiments show that a close match between predicted and actual results, such as antenna gains of more than 16dBi, beam steering of $\pm 50^\circ$, and cloaking devices that cut RCS by over 90dB. However, research gaps in concepts such as material losses, scalable manufacturing, and system integration are profoundly challenging. This paper examines present barriers and suggests effective strategies for overcoming them through continuous Research and Development. The economic stance looks promising, with a market size projection of \$20.9 B by 2035, motivated by 5G/6G applications [4], defense, health, and consumer electronics. The growth achievements depend on sustained international cooperation, establishing regulations and standards, and investments. This paper gives valuable

insights and practical guidance for researchers, engineers, and industry stakeholders on new electromagnetic innovations from theory to the laboratories and then to commercial deployment.

2. Research Methodology

This comprehensive review uses a systematic analysis to find recent developments on TO and TEFM. The procedures carried out ensure the coverage of validation experiments, result metrics, and implementation considerations in practice.

2.1. Literature Search Strategy

Multiple databases were searched for comprehensive results, such as 63 papers on TFEM (2020-2025), 50 papers on validation and performance in SciSpace deep Search, recent developments in ArXiv preprints, papers on metamaterial design, IEEE Xplore for coordinate transformation, electromagnetics synthesis, and antenna engineering, and PubMed provided biomedical electromagnetic studies.

2.2. Inclusion and Exclusion Criteria

2.2.1. Inclusion Criteria

Papers from 2020 to 2025, including recent advancements, experimental validation, quantitative metrics, practical fabrication challenges, and metamaterial



implementations of transformation optics or electromagnetics concepts.

2.2.2. Exclusion Criteria

Theoretical studies without experimental validation, papers without performance data, pre-2020 studies unless seminal, and non-peer-reviewed conference abstracts.

2.3. Data Extraction Framework

The data, such as Performance (Simulated vs Measured, Band Width, Gain, Efficiency), Fabrication (Techniques, Materials used and Tolerances of Dimensions), Measurement (Testing Protocols, Equipment, Validation), Analysis (Performance against conventional designs), Challenge and Limitations, Obstacles and Solution Proposals, are extracted for every case study.

2.4. Analysis Methodology

Quantitative Performance metrics Synthesis, Qualitative thematic analysis of challenges and solutions, Trends of fabrication techniques and improvisations, Gap analysis of uncovered research concepts, are the procedures adopted for analyzing the extracted data.

2.5. Quality Assessment

Every paper was assessed on experimental endorsement, reproducibility, statistical significance, peer review, and journal impact factor, which ensures comprehensive coverage of the TFEM area, giving a good foundation for the detailed analysis in this study.

3. Experimental Validation and Performance Analysis

In this section, recent studies in TFEM, including examples of practical applicability of theory concepts through performance metrics measurements and quantitative comparisons, are presented with comprehensive experimental validation.

3.1. Simulated vs Measured Performance Data

3.1.1. Luneburg Lens Antenna

The compressed Luneburg Lens Antennas (Figure 1) show solid matching between the Theoretical and Practical results. Key performance metrics are provided in Table 1.




Fig. 1 Operation of luneburg lens antenna

The Hemi Spherical Luneburg lens antenna achieved a maximum gain of 15.7 dBi and provided excellent Beam Steering across a $\pm 41^\circ$ range. A compact design without

compromising on Performance was achieved with the Focal-to-Diameter ratio of 0.03.

Table 1. Luneburg lens antenna performance comparison

Parameter	Simulated	Measured	Error
G_{Peak}	16.2dBi	16.1dBi	0.62%
SLL	-16.5dB	-16.3dB	1.23%
BSR	50	50	0.0%
f_o	3.3-5.0GHz	3.3-5.0GHz	0.0%
T_g	1.5dB	1.7dB	13.33%

Here, G_{Peak} – Peak Gain, SLL-Side Lobe Level, BSR - Beam Steering Range, f_o - Operating Frequency, T_g - Gain Tolerance.

3.1.2. Metamaterial Cloaking Devices

Remarkable RCS reduction capability is demonstrated in the experimental validation of Cloaking as [5]:

3D-Printed Conformal Cloak

Maximum RCS reduction of -9.4 dB with 26.6% bandwidth [6]

Carpets Cloak

Cross-polarization reflection efficiency $>94\%$ for broadband operation [7]

Silver Meta-atoms

Blocking response achieved -92 dB at 2.76 GHz

3.2. Quantitative Performance Improvements

3.2.1. Antenna Miniaturization [8]




Fig. 2 Antenna miniaturization demonstration

Antenna miniaturization with metamaterials is presented in Figure 2. TO or TEFM-based designs show remarkable size reductions while continuing or improving performance, as presented in Table 2.

Table 2. Antenna miniaturization performance comparison

Transformation-based Design Type	Size Reduction	Gain	Bandwidth
Conventional Reference	-	7.5dBi	12%
Transformation Lens	55%	12.8dBi	28%
Compressed Luneburg	67%	16.1dBi	42%
Metamaterial Patch	45%	8.2dBi	15%

A graphical performance comparison between conventional and TEFM-based miniaturized antennas is shown in Figure 3.




Fig. 3 Performance between conventional and transformation-based miniaturized antennas

3.2.2. Beam Steering Performance




Fig. 4 Beam steering demonstrating actual and beam steering with metamaterial

Through metamaterial implementations as demonstrated in Figure 4, progressive beam steering is achieved as presented below.

Table 3. Antenna system key performance metrics

Property	Achievement
Feed Requirements	Five feeds are sufficient for full coverage.
Angular Range	$\pm 50^\circ$ with compressed Luneburg lens
Side Lobe Control	< -16 dB throughout operation
Scanning Loss	< 1.7 dB across full steering range

Table 3 shows an antenna system with broad angular coverage, minimal scanning loss, strong SLL suppression, and efficient use of feed.

3.3. Fabrication Validation

3.3.1. 3D Printing Techniques

3D Printing with Thermal programming provides the curved creation, Conformal meta-surfaces with high accuracy [9].

Table 4. Performance benchmarks and fabrication capabilities

Property	Achievement
Frequency Range	X-band to Ka-band operation
Material	Composite PLA and Sn-Bi alloys
Tolerance	± 0.1 mm dimensional accuracy
Resolution	Submicron features achieved

Technical specifications used during fabrication, including the f_o – operating frequency range, material compositions utilized, and high-dimensional accuracy and resolution achieved, are shown in Table 4.

3.3.2. Advanced Lithography

3D complex structures were created with two-photon lithography, which gave the following performance achievements.

Table 5. Two-Photon lithography performance

Parameter	Achievement
Material Compatibility	Wide range of polymers and metals
Aspect Ratio	$> 10:1$ achievable
Feature Size	< 100 nm minimum features
Applications	Mid-infrared sensor arrays

The key features of the photon lithography technique’s versatility provide remarkable improvements in complex 3d structures like advanced photonic and sensor applications, as presented in Table 5.

3.4. Wireless Power Transfer Enhancement

The Efficiency and Gain parameters attained notable enhancements when Metamaterials are employed. [10, 11] Table 6 presents the boost in wireless power efficiency with a two-layer metamaterial setup, resulting in an increase of 29.3%.

Table 6. Enhancement of wireless power transfer with multi layer metamaterial

Configuration	Efficiency		Enhancement
	Without Metamaterial	With Metamaterial	
One Layer	45%	65.6%	20.6%
Two Layers	48%	77.3%	29.3%
Three Layers	52%	74.6%	22.6%

Metamaterial-based designs achieved higher S21 values consistently showing improved Signal Transmissions at all distances, demonstrating superior coupling efficiency, which is represented in Figure 5 graphically.




Fig. 5 S21 Improvement with metamaterial layers

S21 increased by approximately 15dB with negative permeability metamaterials, showing a significant enhancement in Power Transfer.

3.5. Performance Benchmarking

3.5.1. Comparative Analysis with Conventional Designs




Fig. 6 Demonstration of gain enhancement with metamaterial

TFEM devices outperformed consistently over conventional devices, as shown in Table 7.

Table 7. Performance of TFEM devices over traditional devices

Feature	Achievement
Angular Coverage	Enhanced beam steering range ($\pm 41^\circ$ compared to conventional $\pm 20^\circ$)
Size Reduction	45-67% volume reduction
Bandwidth Expansion	2-3x bandwidth increase
Gain Enhancement	1.5 to 8.6 dB improvement compared to baseline designs

Broader angular coverage, significant size reduction, high gain as demonstrated in Figure 6, and broader bandwidth are notable in advanced EM applications.

3.6. Measurement Uncertainty and Error Analysis

Statistical evaluation of important antenna parameters, radiation pattern accuracy, impedance matching, frequency stability, and gain consistency are presented in Table 8. The results show stable performance within the given bandwidth with high precision and reliability across different prototypes.

3.7. Validation Conclusions

The data from the experimental validation shows a close match between theoretical and measured values using TFEM applications. The key outcomes are

1. Error is < 5% between Simulated and Real performance.
2. Improved performance over traditional designs.
3. Cloaking and beam steering improved significantly.
4. The advanced manufacturing methods produce the above designs.

Though material losses, bandwidth, and fabrication tolerances remain challenging and require continuous R&D.

4. Detailed Case Studies

In this section, three detailed case studies are presented, which showcase applications of the TFEM concept, from theory to practical implementation.

4.1. Case Study 1: Compressed Luneburg Antenna

4.1.1. Design Objectives and Requirements

To meet the requirements for wide-angle beam steering systems and compact size for 5G communications, the compressed Luneburg Lens antenna was designed with the following features [12].

Table 8. Luneburg metamaterial antenna performance target

Feature	Target
Peak gain	>15 dBi
Side lobe level	<-15 dB
Frequency	3.3-5.0 GHz
Volume reduction	>50% compared to a conventional lens
Beam steering range	$\pm 50^\circ$

4.1.2. Theoretical Design Process

The design with the following relations compresses the conventional Luneburg lens while maintaining focusing properties using the TFEM technique.

$$n(r) = \sqrt{2 - \left(\frac{r}{R}\right)^2} \quad (1)$$

Here $n(r)$ is the refractive index profile, r is the radial distance, and R is the lens radius.

The compression transformation was applied using:

$$r' = ar, \theta' = \theta, \phi' = \phi \quad (2)$$

Here, $\alpha = 0.67$ represents the compression factor, resulting in a 67% volume reduction.

4.1.3. Metamaterial Implementation

With the use of Ring-Shaped Periodic unit cells, the Gradient Refractive Index was achieved while following the Equivalent Medium Theory.

Table 9. Achievements of the metamaterial-based structure

Feature	Achievement
Fabrication	Standard PCB etching techniques
Unit Cell Design	Concentric ring structures with different sizes
Layer Count	10 layers facilitate a smooth gradient approximation.
Material	Rogers RT/Duroid 5880 substrate ($\epsilon_r = 2.2$, $\tan \delta = 0.0009$)

The 10-layer metamaterial structure on a Rogers RT/Duroid 5880 substrate achievements are shown in Table 9.

4.1.4. Fabrication Process

A systematic fabrication process was adopted as follows.

Table 10. Metamaterial fabrication process

Fabrication Step	Process Type
Design Optimization	Full-wave simulation performed with HFSS
Prototype Manufacturing	Multilayer PCB manufacturing
Assembly	Precision stacking using alignment fixtures
Quality Control	Verification of dimensions and electrical testing

The fabrication process includes HFSS simulation and multilayer PCB manufacturing, and produced metamaterial devices that perform well compared to conventional devices, offering 8.6dB of gain increase and a 67% reduction in antenna size, as presented in Table 10.

4.1.5. Insights

The success of metamaterial structure relies on careful gradient discretization and strict observance of the tolerances of fabrication. Still, difficulties like interlayer alignment and impedance matching may pose challenges.

To overcome these problems, custom alignment fixtures were utilized to ensure precise layer positioning, and tapered transitions were implemented to enhance impedance continuity. The integration of reconfigurable elements will facilitate dynamic beam steering and thereby enhance adaptability and design functionality [13].

Every design target was achieved with g_p , SLL, and volume reduction exceeding expectations, also bandwidth and steering matched with specifications.

Table 11. Compressed luneburg lens performance validation

Parameter	Goal	Obtained	Status
Side Lobe Level (dB)	<-15	-16.3	Exceeded
Peak Gain (dBi)	>15.0	16.1	Exceeded
Bandwidth (GHz)	3.3-5.0	3.3-5.0	Met
Beam Steering ($^\circ$)	50°	50°	Met
Volume Reduction (%)	>50	67	Exceeded

4.2. Case Study 2: 3D – Printed Conformal Metasurface Cloak

4.2.1. Design Objectives

The following are specifications targeted for the development of a conformal cloaking device for curved surfaces.

Table 12. Target for designing a conformal cloaking device

Feature	Target
Conformal capability	Reduce the Curvature radius to 20 mm.
Operating frequency	X-band (8-12 GHz)
Bandwidth	>20%
Cloaking effectiveness	>-10 dB RCS reduction
Manufacturing	Additive manufacturing compatible

4.2.2. Transformation Design

Coordinate transformation is performed with the following relation to achieve a curved EM wave around the object.

$$\epsilon_r = \mu_r = \frac{r'}{r} \frac{r-a}{r'-a} \quad (3)$$

Here, r is the original coordinate, r' is the transformed coordinate, and a is the inner radius of the cloak. Differential geometry is used to describe curved surfaces in the implementation of a conformal surface [14].

4.2.3. 3D Printing Implementation

A 3D printing with thermal programming technique with the following features is used for the fabrication of a cloak.

Table 13. Features of 3D printing technology

Feature	Details
Resolution	0.1 mm layer height, 0.2 mm feature size
Material	Composite PLA containing Sn-Bi inclusions
Printer	Enhanced FDM system featuring dual-material capability
Post-Processing	Thermal forming for conformal shaping

4.2.4. Fabrication Workflow

The fabrication process presented in Table 14 involves the following stages, along with their respective process types, covering everything from design to metallization.

Table 14. Cloak fabrication processes

Fabrication Step	Process Type
Design Phase	CAD modeling integrated with electromagnetic optimization
Material Preparation	Composite filament preparation
3D Printing	Layer-by-layer deposition
Thermal Forming	Shape conforming using the glass transition
Metallization	Conductive pattern deposition

4.2.5. Performance Validation

Experimental testing demonstrated successful cloaking performance as shown in Table 15, which features the achievements in Bandwidth, Conformability metrics, angular coverage, and RCS reduction [15, 16].

Table 15. Performance of cloak

Feature	Achievement
Bandwidth	26.6% at -3 dB level
RCS Reduction	Maximum -9.4 dB achieved
Angular Coverage	± 30° incident angle range
Bandwidth	26.6% at -3 dB level
Conformability	Successfully tested on 15-50 mm radius surfaces.

The challenges, their impact, and solutions are summarized in Figure 7.



Fig. 7 Cloak development: Challenges and solutions

4.3. Case Study 3: Metamaterial Enhanced Wireless Power Transfer (WPT)

4.3.1. System Requirements

The following are the targets assigned to develop a metamaterial for an efficient Wireless Power Transfer for IoT applications [17, 18].

Table 16. Target Specifications for the design of a metamaterial for a wireless power transfer device

Feature	Target
Operating Frequency	13.56 MHz (ISM band)
Transfer Distance	10-50 mm
Efficiency Improvement	>20%
Power Level	1-10 W
Misalignment tolerance	± 5 mm lateral offset

4.3.2. Metamaterial Design

The enhancement employed negative permeability metamaterials to improve coupling:

$$\mu_r = 1 - \frac{\omega_p^2}{\omega^2 - \omega_0^2 + j\omega\gamma} \tag{4}$$

Here ω_p is the plasma frequency, ω_0 is the resonant frequency, and γ is the damping factor.

4.3.3. Implementation

Multilayer metamaterial configuration development

Layer 1: Enhancement at the Transmitter side with negative μ_r

Layer 2: Focusing Element for MID Field

Layer 3: Enhancement at the Receiver side

Spacing: Optimized Maximum field enhancement

4.3.4. Fabrication Details

The following features are implemented while fabricating metamaterial layers.

Table 17. Fabrication features and details of the metamaterial

Feature	Details
Manufacturing	Standard photolithography
Substrate	FR4 PCB material
Assembly	Precision spacers for layer alignment
Pattern	Split-ring resonators with optimized dimensions

4.3.5. Performance Results

A great enhancement was observed with the integration of metamaterials for Power Transfer Efficiency across all tested conditions [19, 20].

Max gain 20.6% at 10mm distance and showing substantial improvements even with misalignment, presented in Table 18.

Table 18. Results of wireless transfer enhancement with metamaterial

Configuration	Baseline Efficiency	Enhanced Efficiency	Improvement
10 mm distance	45.2%	65.8%	20.6%
25 mm distance	28.5%	48.1%	19.6%
50 mm distance	12.3%	25.7%	13.4%
With misalignment	35.1%	52.4%	17.3%




Fig. 8 Efficiency comparison

The graph in Figure 8 compares baseline efficiency, enhanced efficiency, and improvement across different transfer conditions: 10mm distance, 25mm distance, 50mm distance, and with misalignment. Arrays of plasmonic resonators will create strongly coupled electromagnetic modes. These modes channel energy between transmitter and receiver with minimal radiative losses [21].

Figure 9 demonstrates a steady improvement of the S21 parameter with frequency, which indicates enhanced signal transmission performance across the 13.56 to 13.72 MHz range [22].




Fig. 9 Metamaterial enhanced WPT system frequency response

The S21 parameter is enhanced by 15 dB, presenting considerable coupling enhancement.

4.3.6. System Integration

Table 19 presents enhanced WPT system achievements,

Table 19. WPT system achievements

Feature	Achievement
Monitoring	Real-time efficiency tracking
Control Electronics	Adaptive impedance matching
Applications	IoT sensor node charging
Safety Features	Foreign object detection

4.4. Cross Case Analysis

The above cases demonstrated theoretical concepts turned into practical solutions by a systematic approach. Precision and efficiency are provided with the implementation of modern manufacturing technologies and advanced fabrication methods. The experimental validation approves the reliability and performance. The practical problems are sensibly considered to address real-world challenges, while keeping the process viable and strong.

4.5. Future Development Pathways

The case studies reveal that future research needs to focus on several areas. Priority must be given to innovation on low-loss metamaterials [23]. Cost-effective mass production methods are to be adopted to achieve scalability in manufacturing so that large-scale deployment will be possible.

Incorporation of TO or TFEM materials into existing technologies facilitates compatibility and easier implementation. AI-driven design strategies optimize performance to improve accuracy and efficiency to attain required results.

5. Comprehensive Limitations Analysis

In this section, current limitations in TFEM are addressed through an honest assessment that addresses theoretical constraints, technological barriers, and challenges in practical implementation that should be overcome.

5.1. Material Parameter Limitations

5.1.1. Extreme Parameter Requirements

TEFM also involves materials with extreme EM properties, which are difficult to realize. Permeability Tensors with a 100:1 ratio, as well as highly anisotropic, may be required by many device designs. High losses are observed in ENZ and MNZ materials [24]. DNG materials have inherent instabilities and notable dispersion. Another challenge is to create smooth gradient materials, as impractical parameter variations may occur over subwavelength scales.

5.1.2. Loss Mechanisms

Material losses are fundamental challenges in the implementation of metamaterials. The main loss types include Ohmic, Dielectric, Coupling, and Radiation losses [25, 26]. All these losses contribute to Lower Efficiency, lower bandwidth, and Performance Degradation as shown in Figure 10.




Fig. 10 Losses and impacts in TFEM

The loss contributions, as shown in Figure 11, reveal the fact that severe penalties are observed in the DNG region since both Electric and Magnetic noise are significant contributors [27].




Fig. 11 Distribution of losses in metamaterials

5.1.3. Bandwidth Constraints

Narrow bandwidth is another major challenge in the operation of most Metamaterial implementations [28].

Table 20. Metamaterial constraints

Metamaterial Feature	Constraint Description
Resonant Behavior	Unit cell resonances limit the operational bandwidth to 5-15%.
Dispersion	A strong dependence on frequency effect parameters.
Causality Constraints	Kramers-Kronig relations govern Fundamental limits.
Size-Bandwidth Trade-off	Narrower Bandwidths arise due to smaller unit cells.

5.2. Fabrication and Manufacturing Challenges

5.2.1. Dimensional Tolerances

Fabrication tolerances [29] have a significant effect on the performance of Metamaterials. Table 21 describes the fabrication tolerances in feature size, alignment, layer thickness, and material properties, causing frequency shifts and hence raising performance losses to 25%, which alerts a critical need for precision in the fabrication of metamaterials [30, 31].

Table 21. Impact of fabrication tolerance on the performance

Parameter	Tolerance	Frequency Shift	Performance Loss
Feature Size	$\pm 10\%$	$\pm 8\%$	15-25%
Layer Thickness	$\pm 5\%$	$\pm 3\%$	5-15%
Alignment	$\pm 50\%$	$\pm 2\%$	10-20%
Material Properties	$\pm 5\%$	$\pm 4\%$	8-18%

The Efficiency falls sharply as dimensional tolerance increases, dropping from around 95% at ± 0.1 mm to 70% at ± 0.5 mm, as shown in the Figure 12.




Fig. 12 Efficiency degradation due to fabrication tolerances

5.2.2. Scalability Issues [32, 33]

Scalability challenges are listed as follows,

Cost Scaling:	Fabricating complex metamaterials requires expensive techniques.
Yield Issues:	Multilayer designs are increasingly prone to defects.
Quality Control:	Maintaining electromagnetic properties during manufacturing remains difficult.
Material Availability:	The requirement for specialized substrates and conductors increases costs.

5.2.3. 3D Manufacturing Limitations [34]

The significant limitations observed in 3D printing are as follows,

Resolution Limits:	Existing 3D printers have a resolution of 100 μm, which is insufficient for high-frequency uses.
Material Constraints:	The availability of electromagnetic materials suitable for 3D printing is limited.
Surface Roughness:	A rough surface finish can negatively impact performance at higher frequencies.
Multi-Material Challenges:	Printing complex structures that incorporate multiple materials remains a significant challenge [35, 36].

5.3. Performance Limitations

5.3.1. Cloaking Effectiveness [37, 38]

The practical limitations of the cloaking devices are listed below,

Size Constraints:	Effective only for objects under 1-2 wavelengths.
Limited Angular Coverage:	Most cloaks are practical only within about ±30°.
Impossible to Achieve Perfect Cloaking:	Physical limits prevent perfect invisibility.
Polarization Sensitivity:	Performance varies with polarization.

5.3.2. Beam Steering Limitations [39, 40]

TFEM-based beam steering systems face several constraints listed below,

Scan Loss:	A degradation of 3-5 dB occurs at extreme steering angles.
Grating Lobes:	Manifest when steering angles go beyond 60°.
Bandwidth Limitation:	Performance drops outside the specified frequency range.
Feed Complexity:	Several feeds are required to cover the entire angular range.

5.4. Theoretical Limitations

5.4.1. Coordinate Transformation Constraints [41, 42]

The fundamental limitations offered by the mathematical framework are as follows

Singular Points:	Transformation singularities require infinite material parameters.
Folded Geometries:	Some transformations result in non-physical material demands.
Boundary Conditions:	Difficulties arise in matching boundary conditions at interfaces.
Reciprocity:	Many desired functionalities conflict with reciprocity principles

5.4.2. Physical Realizability

All parameters designed theoretically cannot be physically realized, such as

Realizability Constraint:

$$\text{Im}(\epsilon) > 0, \text{Im}(\mu) > 0 \text{ for } \omega > 0 \quad (5)$$

Ideal performance can be prevented by limiting the achievable parameter by the fundamental constraint mentioned in equation 5.

5.5. Integration and System-Level Challenges

5.5.1. Impedance Matching

Impedance matching is meticulous during the integration of traditional systems. The difficulties are listed below in the process of integration [43].

Interface Reflections:	Differences between metamaterials and conventional components
Broadband Matching:	Difficulties in achieving wideband impedance matching
Active Matching:	May require active components, increasing complexity

5.5.2. Environmental Sensitivity

Environmental factors affect Metamaterial devices, as shown in Table 22 [44, 45].

Table 22. Metamaterial devices and environmental sensitivity

Factor	Sensitivity	Impact
Temperature	0.1-0.5%/ °C	Frequency drift, parameter variation
Humidity	0.05-0.2%/RH	Dielectric constant changes, Dimensional changes, and cracking
Mechanical Stress	0.5-2%/MPa	
Aging	1-5%/year	Long-term parameter drift

A comparison graph in Figure 13 shows that the Temperature has more sensitivity at about 40%, then Humidity and EM Interface around 30%.




Fig. 13 Environmental factors and metamaterial device sensitivity

5.6. Economic and Commercial Limitations

5.6.1. Cost Analysis [46-48]

Cost barriers are significant in the present TFEM devices, as summarized below

Testing Costs:	Specialized measurement tools are essential.
Material Costs:	Specialized substrates are 10 to 100 times more expensive than traditional materials.
Design Costs:	Extensive simulation and optimization increase development expenses.
Fabrication Costs:	Complex processes require costly equipment.

5.6.2. Market Readiness

Commercial adoption faces several limiting factors, as listed

Performance Gap:	The current devices' higher cost is not yet justified.
Reliability Concerns:	Limited data is available on long-term reliability.
Standardization Lack:	No established standards for metamaterial devices [49].
Supply Chain:	The supply chain for specialized materials remains underdeveloped.

5.7. Regulatory and Standards Limitations

5.7.1. EMC Challenges

The following list presents EMC challenges faced by Metamaterials [50].

Spurious Emissions:	Nonlinear effects can generate unwanted frequencies.
Susceptibility:	Highly vulnerable to external Electromagnetic Interference (EMI).
Testing Challenges:	Standard EMC tests may not be adequate.

5.7.2. Safety Considerations

The potential safety problems that limit the performance of Metamaterials are listed as follows.

Near-Field Exposure:	Intense near-fields might surpass SAR limits.
Thermal Effects:	Losses can lead to notable heating.
Material Toxicity:	Certain metamaterial parts could present health hazards.

5.8. Future Outlook and Mitigation Strategies

Material Limitations and Potential Solutions are presented as follows.

Active Materials	Incorporating active components to reduce loss problems
Hybrid Approaches	Combining different material systems for better performance
Topological Materials	Researching topological metamaterials to achieve durable results
Quantum Materials	Investigating quantum phenomena in metamaterial systems

5.8.1. Manufacturing Solutions

With the implementation of evolving fabrication techniques, existing limitations can be overcome. A few such methods are listed below.

Advanced 3D Printing	High-resolution, multi-material additive manufacturing
Roll-to-Roll Processing	Large-scale manufacturing for extensive-area devices
AI-Assisted Manufacturing	Utilizing machine learning to enhance processes
Self-Assembly	Bottom-up fabrication techniques

5.9. Conclusion of Limitations

From the analysis of Limitations, although TFEM or TO offering notable potential, many challenges still exist in various areas, as listed below.

1.	Material losses and bandwidth limitations restrict performance.
2.	Fabrication tolerances and scalability problems prevent widespread commercial use.
3.	Theoretical restrictions that impede achieving perfect performance in many applications.
4.	Integration difficulties that complicate deploying systems at a larger scale
5.	Economic and regulatory hurdles that delay market adoption

Continuous R&D should be conducted to address these limitations and challenges across Material Science, Fabrication Technologies, and System Integration. Evolutionary improvements rather than revolutionary breakthroughs lead to success. Emerging first in the place markets with real-time applications where performance is the advantage could justify the effective costs.

When the limitations are acknowledged honestly, setting realistic goals is possible while prioritizing the future R&D in TO&TFEM.

6. Future Research Roadmap and Perspectives

A wide-ranging roadmap for TO & TEFM research is presented in this section. In this context, important technological challenges, research priorities, and timelines are identified for developments over the next decade [51, 52].

6.1. Short-Term Research Priorities (2025-2027)

6.1.1. Material Innovation

Low-Loss Metamaterials Development

Objective:	Achieve loss tangent <0.001 for metamaterial unit cells
Approach:	Explore superconducting metamaterials, graphene-based designs, and active compensation.
Timeline:	18-24 months for proof-of-concept demonstrations
Success Metrics:	10x reduction in loss compared to current designs

Broadband Material Systems

Challenge:	Overcome resonant bandwidth limitations
Strategy:	Multi-resonant designs, aperiodic structures, and gradient metamaterials
Target:	Achieve >50% fractional bandwidth while maintaining functionality.
Applications:	Broadband cloaking and antenna systems

6.1.2. Advanced Fabrication Techniques

Precision 3D Manufacturing

Targeting to achieve 10 μm resolution for multi-material 3D printing, with technologies, Two Photon Lithography, Electron beam melting, and Multijet fusion, creating printable libraries of EM materials in their development. The timeline is 2-3 years to get the devices commercially.

Roll-to-Roll Processing

Objective	Cost-effective metamaterial fabrication to achieve a large-area [53]
Process Development	Adopting evolving printing, coating, and patterning methods.
Target Applications	Large aperture antennas, along with EM shielding
Cost Target:	< \$10 /m ² for basic metamaterial sheets.

6.2. Medium – Term Research Goals (2027-2030)

6.2.1. AI-Driven Design Revolution

Automated Design Optimization Vision:

Aiming at a completely automated design queue that flows from theoretical specifications to fabrication. Artificial Intelligence technologies, which include Generative Adversarial Networks, Reinforcement Learning, and Physics-informed Neural Networks [54].

They provide real-time design adaptation and multi-objective optimization. This cut down design time from months to hours, along with inverse design platforms.

Technical Requirements:

1. More than 10 structure-response pairs were used in the Training of the datasets.
2. Physics-constrained neural networks
3. Multi-scale optimization algorithms
4. Timeline of 3-4 years to develop a mature platform

6.2.2. Reconfigurable and Adaptive Systems

Dynamic Transformation Devices

Objective	Real-time reconfiguration of electromagnetic properties
Technologies	Liquid crystals, phase-change materials, MEMS actuators
Applications	Adaptive cloaking, dynamic beam steering, frequency agile systems
Performance Target	<1ms reconfiguration time, >1000 switching cycles Self-Healing Metamaterials
Concept	Materials that automatically repair damage or adapt to failures
Mechanisms	Shape memory alloys, self-assembling structures, redundant designs.
Applications	Space applications, harsh environment sensors
Development Timeline	4-5 years for initial demonstrations

6.3. Long Term Vision (2030-2035)

6.3.1. Quantum-Enhanced Metamaterials

Quantum Metamaterial Systems

- Innovative Approach: Achieving unparalleled EM control with Quantum effects harnessing [55, 56]

Potential Capabilities

- Communication Systems developed with Quantum entanglement.
- Zero-loss electromagnetic propagation
- Quantum-boosted Sensing and Imaging

Technical Challenges	Quantum coherence maintenance, scalability
Advantage:	Robust performance immune to disorder and defects

Research Areas:	Photonic topological insulators, non-reciprocal devices [57-59]
Timeline:	7-10 years for fundamental demonstrations, Topological Metamaterials
Applications:	Unidirectional waveguides, protected edge modes
Commercial Timeline:	Typically, 8 to 10 years before practical devices become available.

6.3.2. System-Level Integration
Metamaterial-Enabled 6G Systems

Vision: Integration of TFEM into 6G infrastructure.

The features, such as Holographic beamforming using metamaterial apertures and intelligent reflecting surfaces to enlarge the coverage, are to be included. Massive MIMO with metamaterial arrays to be employed [60]. 100 times capacity boost and 10 times increase in energy efficiency are expected. The timeline target must be 2030-2035 for commercial deployment.

6.4. Research Infrastructure Development

6.4.1. Advanced Characterization Facilities Required Capabilities

Major upgrades in higher resolution, dynamic measurement, broader frequency range, and multi-physics integration are targeted for 2026-2029, as their characteristic capabilities are presented in Table 23.

Table 23. Advanced characterization infrastructure requirements

Capability	Current State	Required Enhancement	Timeline
Near Field Scanning	100 m resolution	1 m resolution	2026
Broadband Measurement	0.1-100 GHz	0.01-1000 GHz	2027
Real-time Characterization	Static measurement	Dynamic measurement	2028
Multi-physics Coupling	EM only	EM-thermal- Mechanical	2029




Fig. 14 Advanced characterization infrastructure requirements

Figure 14 presents the capability development roadmap leading to the advanced multi-functional characterization [61].

6.4.2. Computational Infrastructure [62, 63]
High-Performance Computing Requirements

Current Limitation:	Many Weeks of time may be required to compute Multi-scale simulations [64].
Future Need:	The target is to enable real-time multi-physics simulations.
Technology Solutions:	Quantum computing, neuromorphic processors, and specialized EM accelerators.
Performance Target:	Target for a 1000x increase in EM simulation speed.

6.5. Interdisciplinary Collaboration Framework [65]

6.5.1. Required Expertise Integration Core Disciplines

Electromagnetics	Field theory, antenna design, and wave propagation.
Materials Science	Synthesis, characterization, and processing of metamaterials.
Manufacturing	Advanced fabrication techniques, quality assurance, and scalability.
Computer Science	AI and machine learning algorithms, optimization, and simulation.

Emerging Disciplines

Quantum Physics	Quantum metamaterials and entanglement phenomena.
Biology	Bio-inspired designs and biocompatible materials [66].
Economics	Cost modeling, market analysis, and adoption strategies.
Regulatory Science	Development of standards and safety assessments.

6.6. Technology Transfer and Commercialization [67]

6.6.1. Market Development Strategy

Phase 1: Niche Applications (2025-2027)

Target Markets	Aerospace, Defense, and high-end Telecommunications
Value Proposition	Higher costs are justified by the Performance benefits.
Market Size	\$100M to \$1B annually
Success Factors	Demonstrated reliability and regulatory approval

Phase 2: Mainstream Adoption (2027-2032)

Target Markets	Consumer electronics, automotive, and IoT
Requirements	Focus on cost reduction and manufacturing scalability.
Market Size	Over \$10 billion annually
Enablers	Standardization efforts and supply chain development

6.6.2. Intellectual Property Landscape Current State

Patent Volume	> 5000 patents have been filed in the area of metamaterials
Key Players	Education, defense business, and technology giants are leading the field.
Fragmentation	The fragmented intellectual property landscape presents future Challenges.
Patent Thickets	Overlapping patents risk delaying innovation.
Open Standards	Patent pools and open standards are growing needs.
Global Competition	Countries are competing for international dominance in metamaterials.

6.7. Societal Impact and Applications

6.7.1. Healthcare Applications Medical Imaging Enhancement

Opportunity	Ultrasound, MRI, and X-ray systems with Metamaterial-enhancement
Benefits	Faster imaging, Higher resolution, and reduced exposure
Timeline	5-7 years for clinical trials
Regulatory Path	FDA approval is required for medical devices

Therapeutic Applications

Hyperthermia Treatment	Cancer treatment with focused EM heating
Neural Stimulation	Accurate EM field control for brain interfaces
Drug Delivery	Magnetically guided drug carriers

6.7.2. Environmental Applications

Energy Harvesting [68, 69]

Concept	Solar cells and RF energy harvesters enhanced with Metamaterials
Potential Impact	Energy conversion efficiency growth up to 20-30%
Applications	IoT sensors and remote monitoring systems
Market Timeline	Commercial deployment in 3-5 years, considering Environmental Monitoring
Sensors	Ultra-sensitive EM sensors for pollution detection
Communication	Low-power and Long-range communication networks

7. Economic Analysis and Commercial Viability

In this section, a comprehensive economic analysis of TFEM examines investment requirements, cost structures, market opportunities, and pathways to commercial viability.

7.1. Market Size and Growth Projections

7.1.1. Total Addressable Market (TAM)

The TFEM market spans multiple application domains with significant potential for increase, as presented in Table 24.

Table 24. Market size projections for TFEM applications

Application Sector	2025	2030	2035	CAGR
Defense & Aerospace	\$150 M	\$800 M	\$2.5B	32%
Telecommunications	\$50M	\$1.2B	\$8.5B	58%
Consumer Electronics	\$10M	\$500 M	\$5.2B	78%
Healthcare	\$25M	\$300 M	\$1.8B	48%
Automotive	\$5M	\$200 M	\$2.1B	85%
Energy & Utilities	\$15M	\$150 M	\$800 M	42%
Total Market	\$255 M	\$3.15 B	\$20.9 B	52%




Fig. 15 Projected market growth for TFEM.

In Figure 15, market growth for TFEM, rising from about \$1.5 billion in 2026 to over \$20 billion by 2035, is projected.

7.1.2. Market Drivers Primary Growth Drivers [70]

5G/6G Deployment	Massive MIMO and beamforming fuel antenna innovation
IoT Expansion	Miniaturized, efficient antennas across billions of devices.
Autonomous Vehicles	They require radar and communication systems.

8. Standardization and Regulatory Framework

The need for Standards Development and Regulatory Framework for the vast adoption of TEFM is discussed in this section. It also covers technical standards, regulatory compliance pathways, and safety requirements.

8.1. Current Standards Landscape

8.1.1. Existing Relevant Standards

Existing EMC and safety regulations are listed in Table 25, whereas TFEM has no dedicated standards to comply with them.

Table 25. Existing standards that can be applied to TFEM

Standard	Organization	Scope	Relevance
FCC Part 15	FCC	Unlicensed devices	Emission limits
CISPR 32	CISPR	Multimedia equipment EMC	Consumer device compliance
MIL-STD-461	DoD	Military EMC	Defense applications
IEC 61000 Series	IEC	EMC standards	General EMC compliance
IEEE 802.11	IEEE	Wireless communications	Antenna performance
IEC 62209	IEC	SAR measurement	Human exposure safety




Fig. 16 Existing standards coverage relevant to TEFM.

EMC has the highest coverage at 80%, followed by safety at 60%, while performance and fabrication standards lag at 40% and 30%, respectively, as shown in Figure 16.

8.1.2. Standards Gaps

Current standards Important Gaps:

Metamaterial Characterization	Standardized methods for measuring effective EM parameters do not exist.
Performance Metrics	TFEM devices lack Standardized metrics for evaluation.
Safety Assessment	TFEM devices have no specific safety standards.

9. Enhanced Mathematical Framework

In this Section, enhanced mathematical formulations that incorporate recent theoretical advances, building foundational principles for the Transformation of Coordinates, and then conditions for implementing practically are discussed [71].

9.1. Practical Implementation Constraints

Physical realizability constraints can be neutralized by modifying the ideal TFEM:

$$\epsilon'_{ij} = \frac{\det(J)}{J_{ik}J_{jl}} \epsilon_{kj} + \Delta\epsilon_{ij}^{loss} \quad (6)$$

Here $\Delta\epsilon_{ij}^{loss}$ represents the loss correction due to material dispersion and absorption.

For practical TFEM implementations, the effective parameters are constrained by:

$$|\epsilon_{eff}|, |\mu_{eff}| < 100,$$

$$\text{Im}(\epsilon_{eff}), \text{Im}(\mu_{eff}) > 0.00 \quad (7)$$

These constraints reflect current fabrication capabilities and limitations on material loss.

9.2. Design Optimization Framework

Multi-objective functions incorporating both performance and realizability, which can be achieved by Artificial Intelligence design optimization:

$$F = w_1 P_{performance} + w_2 P_{realizability} + w_3 P_{cost} + w_4 P_{bandwidth} \quad (8)$$

Where P_i is the normalized performance metric, and w_i are the optimization weights.

9.2.1. The Objectives (P_i)

The P_i terms represent different design targets or performance metrics. To make unitless and to have comparable scales (such as between 0 and 1), they need to be normalized. This process is essential to ensure that a metric with inherently larger values, such as a high dollar cost, does not get unduly influenced in the optimization process, irrespective of its relative importance.

P_{performance}	This is the primary measure of how well the device or system functions. Depending on the design (e.g., an antenna), this could include metrics such as efficiency, gain, and directivity.
P_{realizability}	This is an important metric, particularly for manufacturing. It measures how easy or practical it is to build the design, given the material and physical constraints. A design that performs perfectly in a simulation but is impossible to manufacture has low realizability.
P_{cost}	This metric represents the financial burden of the design, along with material, potentially operational, and manufacturing costs. The goal is typically to lower this value.
P_{bandwidth}	This refers to the frequency range over which the device (e.g., an antenna or filter) operates effectively. A wider bandwidth is desirable for many designs.

9.2.2. The Optimization Weights (w_i)

The terms w_i are the optimization weights. These are coefficients that determine the relative importance of each objective in the overall design goal.

9.2.3. Customization

The weights allow the design engineer to prioritize certain characteristics. For example, if the project is extremely budget-sensitive, the engineer would assign a much higher value to w_3 (Cost).

9.2.4. Trade-Offs

Changing the weights allows the AI to explore different trade-off solutions. By running the optimization with different weight sets, a user can generate a Pareto front—a set of non-dominated solutions where you cannot improve one objective without making another objective worse.

10. Artificial Materials and Coordinate Transformation

10.1. Advanced Metamaterial Designs

Recent advances in metamaterial design have focused on overcoming traditional limitations through innovative approaches: [72]

10.1.1. Multi-Resonant Structures [73]

To address bandwidth limitations, multi-resonant designs employ multiple resonant elements:

$$\epsilon_{\text{eff}}(\omega) = \epsilon_{\infty} + \sum_{i=1}^N \frac{f_i \omega_{pi}^2}{\omega_{oi}^2 - \omega^2 + j\gamma_i \omega} \quad (9)$$

Where N is the number of resonances, f_i are oscillator strengths, and ω_{oi} are resonant frequencies.

10.1.2. Gradient Index Implementations [74]

Practical gradient index metamaterials use discretized approximations:

$$n(r) \approx n_0 + \sum_{i=1}^M a_i \phi_i(r) \quad (10)$$

Here $\phi_i(r)$ - basis functions and a_i - coefficients optimized for the chosen profile.


11. Applications of Transformation Electromagnetics

11.1. Advanced Antenna Systems


Recent experiments show that validated TFEM-based antenna designs with notable performance:

11.1.1. Compressed Luneburg Lens Antennas

Experimental prototypes demonstrate:



11.1.2. Metamaterial-Enhanced Arrays Large-scale Implementations show:




11.2. Electromagnetic Cloaking

The following subsections present the Practical cloaking devices that have achieved significant milestones


11.2.1. Conformal Cloaks

3D-printed conformal cloaks demonstrate:



11.2.2. Carpet Cloaks

Broadband carpet cloaks achieve:




12. AI, Machine Learning, and Neural Network Integration [75-79]

Revolutionary metamaterial design and optimization obtained with the integration of artificial intelligence:

12.1. Generative Design Approaches


12.1.1. Generative Adversarial Networks (GANs)

Novel metamaterial geometries are generated automatically by GANs:



12.1.2. Physics-Informed Neural Networks (PINNs)

PINNs include Maxwell's equations as constraints:



12.2. Inverse Design Platforms

12.2.1. Deep Learning Frameworks- based

Commercial inverse design platforms demonstrate the following features:

Design Time

Reduced from weeks to hours

Success Rate

>85% for first-pass designs

Multi-objective Optimization

Simultaneous optimization of 5+ parameters

Integration

Compatible with major CAD and simulation tools.

Table 26. Performance comparison: Metamaterial vs. Conventional devices

Device Type	Parameter	Conventional	Metamaterial	Improvement
Antenna	Gain (dBi)	7.5	16.1	+8.6 dB
	Size (volume)	100%	33%	67% reduction
	Bandwidth (%)	12	42	3.5x increase
	Steering Range	20	50	2.5x increase
Cloak	RCS Reduction	0dB	-9.4dB	9.4 dB improvement
	Bandwidth (%)	N/A	26.6	Novel functionality
	Angular Coverage	N/A	30	Novel functionality
WPT	Efficiency	45%	77%	+32% absolute
	Range	10 mm	50 mm	5x increase

Metamaterial-based designs deliver substantial improvements over conventional devices, including Miniaturization, an increase in Bandwidth, Cloaking functionality enhancement, higher Antenna Gain, and

greater WPT efficiency and range, as summarized in Table 26 [80]. Metamaterial outperforms conventional antennas in Gain, Miniaturization, and Bandwidth, as shown in Figure 17.




Fig. 17 A comparison between conventional devices and metamaterial devices parameters

13. Summary and Future Perspectives

This comprehensive examination and findings presented in the following subsections give an enhanced analysis of TFEM, addressing critical gaps in experimental validation, performance benchmarking, and practical implementation considerations.

13.1. Technical Achievements

The research has shown a strong Experimental Validation, with the error between theory and practice <5%, which confirms Modal Accuracy.

- It demonstrated significant improvement in Performance, with 67% of Size Reduction and a Gain improvement of 86dB.
- The study introduces new cloaking and extreme steering functionalities.
- Importantly, fabrication feasibility was attained with the manufacturing using the latest techniques.

13.2. Economic Opportunities

The TFEM or TO industry is presenting a significant market potential, reaching \$20.9 B by 2035 and a 52% CAGR in the Telecommunications, Consumer Electronics, and defense sectors. Further cost-cutting by 17 to 38 times by miniaturization or scaling in manufacturing and innovations. It is also expected to generate around 88,000 direct jobs by 2035.

13.3. Remaining Challenges and Suggested Solutions

13.3.1. Material Losses and Bandwidth Constraints Limit Performance

Material limitations	Substrates and Conductors’ material fundamental physical properties constrain the device.
Energy losses	Energy loss due to heat or unwanted radiation reduces overall efficiency and gain.
Bandwidth restrictions	The intrinsic material properties and the physical size of components limit the device’s effective operating

	frequency range.
Need for innovation	Thorough Research into new, low-loss materials can overcome limitations, and the development of innovative design geometries can push physical boundaries.

13.3.2. Fabrication Tolerances and Scalability Issues Hinder Commercial Adoption

Manufacturability matters	If a manufacturing process is unreliable, the best design is also ineffective.
Fabrication tolerances	Closely fitted tolerances are challenging to achieve and costly to implement.
Miniaturization challenges	When the designs become miniaturized, the precision maintenance becomes complex and difficult.
Scalability concerns	Maintaining performance and cost becomes another significant challenge in making a prototype for mass production.
Commercial barriers	The greatest obstacle to turning a prototype into a successful commercial product is the Manufacturing issues.

13.3.3. Integration Challenges Complicate System-Level Implementation

System-level Integration

Antennas or Sensors must function within smaller and larger systems (e.g., smartphones, vehicles, and satellites).

Unexpected Interactions

Integration can lead to issues such as:

1. Electrical interference
2. Heat dissipation problems
3. Physical space constraints
4. Electromagnetic coupling between components

Multidisciplinary Approach Needed

Solving these challenges requires collaboration of multiple domains.

Co-Design and Co-Simulation

Integration is not only confined to small components or devices; sometimes, a large or full system integration is required.

13.3.4. Economic and Regulatory Barriers Slow Market Penetration

Economic Barriers

1. Expenses are high for advanced characterization tools and training AI models initially.
2. Specialized or exotic materials are costly.
3. Competitive price compared to current solutions should be pressured

Regulatory Barriers

1. Certification is a time-consuming and expensive process.
2. Safety and performance standards are compromised.
3. Spectrum allocation and import/export controls are difficult.

Impact on Commercialization

Market entry and compromise the commercial success of new product technologies are postponed due to the above obstacles.

13.3.5. Future Research Priorities

- Design of ultra-low-loss metamaterials with loss tangents below 0.001.
- Next-generation fabrication methods capable of achieving resolutions under 10 micrometers.
- AI-powered design platforms that can accelerate development cycles by up to 100 times.
- Quantum-integrated metamaterial systems to unlock unprecedented functionalities.
- Establishment of robust standards and regulatory frameworks to support innovation and deployment.

14. Conclusion

TFEM enables unprecedented control over EM fields through metamaterials that transform antenna design when the Coordinate Transformation principle is applied. A significant miniaturization of up to 67% can be attained by this approach, as per the experimental results, while still maintaining high performance. An increase of 8.6 dBi is observed, i.e., 7.5 dBi in conventional devices to 16.1 dBi in TFEM devices. In addition, a broadened Bandwidth that achieved up to 42% fractional bandwidth, which is 3.5 times that of traditional devices at 12%.

TO and TEFM are the concepts that made these advances possible. And also, Gradient Refractive Index profiles, spatially varying materials, wideband operation, and supporting compact are enabled. These are the vital developments in the design of 5G/6G, IoT networks, and aerospace platforms, where small, high-gain, broadband antennas/devices are essential. Integration of TFEM, AI-based design, and scalable fabrication paves the way for metamaterials for next-generation wireless technologies that bridge gaps between theory and commercial applications.

References

- [1] J.B. Pendry, D. Schurig, and D.R. Smith, "Controlling Electromagnetic Fields," *Science*, vol. 312, no. 5781, pp. 1780-1782, 2006. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [2] Ulf Leonhardt, "Optical Conformal Mapping," *Science*, vol. 312, no. 5781, pp. 1777-1780, 2006. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [3] Jasmine Saini, *Metamaterials in Communication Devices: A Review of Advances and Application*, Metamaterials-Progress, Devices and Applications, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [4] Vasileios Salonikios, Stamatios Amanatiadis, and Michalis Nitas, "Systematic Synthesis of Fully-Planar Antennas Based On Metamaterial-Enhanced Siws For 5G Communications," *Progress In Electromagnetics Research C*, vol. 150, pp. 105-112, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [5] D. Schurig et al., "Metamaterial Electromagnetic Cloak at Microwave Frequencies," *Science*, vol. 314, no. 5801, pp. 977-980, 2006. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [6] R. Liu et al., "Broadband Ground-Plane Cloak," *Science*, vol. 323, no. 5912, pp. 366-369, 2009. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [7] Jensen Li, and J.B. Pendry, "Hiding Under The Carpet: A New Strategy For Cloaking," *Physical Review Letters*, vol. 101, 2008. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [8] Samuel Nishant Muthyala et al., "A Wide Band Annular-Ring Loaded Circularly Polarized Microstrip Antenna," *International Conference on Broadband Communications, Networks and Systems*, Hyderabad, India, pp. 282-290, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [9] Petr Roudný, and Tomáš Syrový, "Thermal Conductive Composites for FDM 3D Printing: A Review, Opportunities and Obstacles, Future Directions," *Journal of Manufacturing Processes*, vol. 83, pp. 667-677, 2022. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [10] Zhen Zhang et al., "Opportunities and Challenges of Metamaterial-Based Wireless Power Transfer for Electric Vehicles," *Wireless Power Transfer*, vol. 5, no. 1, pp. 9-19, 2017. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [11] Xiutao Huang et al., "Development and Prospects of Metamaterial in Wireless Power Transfer," *IET Power Electronics*, vol. 14, no. 15, pp. 2423-2440, 2021. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [12] Yadan Zang et al., "A Bi-Dimensional Compressed Luneburg Lens Antenna for Miniaturization based on Transformation Optics," *Frontiers in Physics*, vol. 10, pp. 1-11, 2022. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [13] Maik Sode et al., "Reconfigurable Intelligent Surfaces for 6G Mobile Networks: An Industry R&D Perspective," *IEEE Access*, vol. 12, pp. 163155-163171, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [14] He-Xiu Xu et al., "Polarization-Insensitive 3D Conformal-Skin Metasurface Cloak," *Light: Science & Applications*, vol. 10, pp. 1-13, 2021. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [15] Ling Wang et al., "A Novel Dual-Function, Dual-Band, and Dual-Polarized Metasurface-Based Carpet Cloak with Low Radar Cross Section," *Journal of Applied Physics*, vol. 137, no. 24, pp. 1-7, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]

- [16] Ya Fan et al., “Recent Developments of Metamaterials/Metasurfaces for RCS Reduction,” *EPJ Applied Metamaterials*, vol. 6, no. 15, pp. 1-14, 2019. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [17] Tarakeswar Shaw et al., “Metamaterial Integrated Highly Efficient Wireless Power Transfer System for Implantable Medical Devices,” *AEU - International Journal of Electronics and Communications*, vol. 173, pp. 1-11, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [18] Kai Sun et al., “An Overview of Metamaterials and Their Achievements in Wireless Power Transfer,” *Journal of Materials Chemistry C*, vol. 12, pp. 2925-2943, 2018. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [19] Cancan Rong et al., “A Review of Metamaterials in Wireless Power Transfer,” *Materials*, vol. 16, no. 17, pp. 1-28, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [20] Muhammad Sukriyallah Yusri et al., “Transfer Efficiency Enhancement on Wireless Power Transfer Using Metamaterial,” *2023 International Conference on Information Technology (ICIT)*, Amman, Jordan, pp. 724-729, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [21] Alexi G. Choueiri, “Metamaterial-Enhanced Near-Field Wireless Power Transfer: Achieving 90% Efficiency at Multi-Meter Range,” *Techrxiv*, pp. 1-10, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [22] Webster Adepoju et al., “Critical Review of Recent Advancement in Metamaterial Design for Wireless Power Transfer,” *IEEE Access*, vol. 10, pp. 42699-42726, 2022. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [23] Bashar A.F. Esmail et al., “Overview of Approaches for Compensating Inherent Metamaterials Losses,” *IEEE Access*, vol. 10, pp. 67058-67080, 2022. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [24] A.F. Bukhanko, “Effects of Losses on the Transmission and Reflection of Electromagnetic Waves at the Interface of Metamaterial with Zero Real Part of Permittivity,” *Low Temperature Physics*, vol. 49, no. 10, pp. 1170-1177, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [25] Xianfeng Wu et al., “Deep Learning Design For Loss Optimization in Metamaterials,” *Nanomaterials*, vol. 15, no. 3, pp. 1-13, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [26] Shadmani Shamim et al., “Recent Advances In the Metamaterial and Metasurface-Based Biosensor in the Gigahertz, Terahertz, and Optical Frequency Domains,” *Heliyon*, vol. 10, no. 13, pp. 1-26, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [27] Sura Khalil Ibrahim et al., “Compact Metamaterial-Based Single/Double-Negative/Near-Zero Index Resonator for 5G Sub-6 GHz Wireless Applications,” *Scientific Reports*, vol. 14, pp. 1-24, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [28] Yan-Lin Liao, and Yan Zhao, “Ultra-Narrowband Dielectric Metamaterial Absorber with Ultra-Sparse Nanowire Grids For Sensing Applications,” *Scientific Reports*, vol. 10, pp. 1-7, 2020. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [29] Mohammadmir Ghaderi et al., “Fabrication Tolerance Sensitivity in Large-Area Mid-Infrared Metamaterial Absorbers,” *Proceedings*, vol. 1, no. 4, pp. 1-4, 2017. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [30] Yicheng Zhu et al., “The Impact of Manufacturing Imperfections on the Performance of Metalenses and a Manufacturing-Tolerant Design Method,” *Micromachines*, vol. 13, no. 9, pp. 1-13, 2022. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [31] Katherine M. Musick et al., “Assessing the Manufacturing Tolerances and Uniformity of CMOS Compatible Metamaterial Fabrication,” *Journal Of Vacuum Science & Technology B*, vol. 36, no. 1, pp. 1-6, 2018. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [32] Bui Xuan Khuyen et al., “Multi-Layered Metamaterial Absorber: Electromagnetic and Thermal Characterization,” *Photonics*, vol. 11, no. 3, pp. 1-15, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [33] Dong Li et al., “Scalable-Manufactured Metamaterials for Simultaneous Visible Transmission, Infrared Reflection, and Microwave Absorption,” *ACS Applied Materials & Interfaces*, vol. 14, no. 29, pp. 33933-33943, 2022. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [34] Bo Song et al., “Development Trends and Challenges of Additive Manufacturing Metamaterials,” *Engineering*, vol. 44, pp. 2-6, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [35] Emad Kadum Njim, Sadiq Emad Sadiq, and Mohsin Noori Hamzah, “A Recent Review of the Sandwich-Structured Composite Metamaterials: Static and Dynamic Analysis,” *Sciences & Engineering*, vol. 85, no. 5, pp. 133-149, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [36] Junsheng Chen et al., “Fabrication and Development of Mechanical Metamaterials via Additive Manufacturing for Biomedical Applications: A Review,” *International Journal of Extreme Manufacturing*, vol. 7, no. 1, pp. 1-44, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [37] Sikder Sunbeam Islam et al., “Limitations of Metamaterials for Invisibility Cloaking,” *Sciences & Engineering*, vol. 78, no. 6-9, pp. 1-5, 2016. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [38] Yang Fu et al., “A Multi-Polarization Multi-Band Reconfigurable Cloaking-Illusion Metasurface,” *Advanced Optical Materials*, vol. 13, no. 4, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [39] Foez Ahmed, Khushboo Singh, and Karu P. Esselle, “State-of-the-Art Passive Beam-Steering Antenna Technologies: Challenges and Capabilities,” *IEEE Access*, vol. 11, pp. 69101-69116, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [40] Yang Cai et al., “A Simple Configuration of Beam Steering Substrate Integrated Waveguide Aperture Antenna Loaded with Metamaterials,” *Microwave and Optical Technology Letters*, vol. 64, no. 4, pp. 744-749, 2022. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]

- [41] Mingkun Chen, Jiaqi Jiang, and Jonathan A. Fan, "Design Space Reparameterization Enforces Hard Geometric Constraints in Inverse-Designed Nanophotonic Devices," *ACS Photonics*, vol. 7, no. 11, pp. 3141-3151, 2020. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [42] Lin Xu, and Huanyang Chen, "Transformation Metamaterials," *Advanced Materials*, vol. 33, no. 52, 2021. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [43] Md Mirazur Rahman, Yang Yang, and Shuvashis Dey, "Application of Metamaterials in Antennas for Gain Improvement: A Study on Integration Techniques and Performance," *IEEE Access*, vol. 13, pp. 49489-49503, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [44] Qian Sun et al., "Experimental Study on the Effect of Humidity on the Mechanical Properties of 3D-Printed Mechanical Metamaterials," *Polymers*, vol. 21, no. 21, pp. 1-20, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [45] Teik-Cheng Lim, "A Composite Metamaterial with Sign Switchable Elastic and Hygrothermal Properties Induced by Stress Direction and Environmental Change Reversals," *Composite Structures*, vol. 220, pp. 185-193, 2019. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [46] Mohammad Ghosheh et al., "Metamaterial-Based Injection Molding for the Cost-Effective Production of Whole Cuts," *Nature Communications*, vol. 15, no. 1-15, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [47] Amit Kumar Goyal, *Introductory Chapter: Metamaterials – Introduction, Advantages, and Applications*, Metamaterials-Progress, Devices and Applications, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [48] Metamaterials Market Size & Share Analysis - Growth Trends and Forecast (2026 - 2031), Mordor Intelligence, 2025. [Online]. Available: <https://www.mordorintelligence.com/industry-reports/metamaterials-market>
- [49] Suhas Alkunte et al., "Functionally Graded Metamaterials: Fabrication Techniques, Modeling, and Applications-A Review," *Processes*, vol. 12, no. 10, pp. 1-47, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [50] S. Manikandan et al., "Electromagnetic Compatibility In Electronic Devices," *International Journal Of Emerging Technologies And Innovative Research*, vol. 11, no. 1, pp. 59-67, 2024. [[Publisher Link](#)]
- [51] Simon Alexander Pope et al., "The 2025 Active Metamaterials Roadmap," *Journal of Physics D: Applied Physics*, pp. 1-60, 2025. [[CrossRef](#)] [[Publisher Link](#)]
- [52] Charles A. Clifford et al., "Safe and Sustainable Development of Advanced Materials: UK National Knowledge Sharing Network Workshops," *Environmental Science: Nano*, vol. 12, pp. 1858-1871, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [53] Bin Zheng, and Peixuan Zhu, "Advances in Metamaterials: Structure, Properties and Applications," *Materials*, vol. 19, no. 1, pp. 1-4, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [54] Wenjun Cai, Zidong Zhang, and Weichang Hao, "Topological Trivial and Nontrivial Properties in Electromagnetic Metamaterials," *Reviews in Physics*, vol. 13, pp. 1-20, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [55] Keval Bhavsar et al., "Sustainability in Electromagnetic Metamaterials: Synthesis, Applications, and Future Directions with Challenges," *E3S Web Of Conferences*, vol. 552, pp. 1-10, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [56] Jianwei You et al., "Electromagnetic Metamaterials: From Classical To Quantum," *Electromagnetic Science*, vol. 1, no. 1, pp. 1-33, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [57] Harish N.S. Krishnamoorthy et al., "Topological Insulator Metamaterials," *Chemical Reviews*, vol. 123, no. 8, pp. 4416-4442, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [58] Ruey-Lin Chern, Yang-Jie Shen, and You-Zhong Yu, "Photonic Topological Insulators in Bianisotropic Metamaterials," *Optics Express*, vol. 30, no. 6, pp. 9944-9958, 2022. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [59] Zhitong Li, and Qing Gu, "Topological Hyperbolic Metamaterials," *Nanophotonics*, vol. 13, no. 6, pp. 825-839, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [60] Hedi Sakli et al., "Metamaterial-Based Antenna Performance Enhancement for MIMO System Applications," *IEEE Access*, vol. 9, pp. 38546-38556, 2021. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [61] Jade E. Holliman et al., "Review of Foundational Concepts and Emerging Directions in Metamaterial Research: Design, Phenomena, and Applications," *Materials Advances*, vol. 3, pp. 8390-8406, 2022. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [62] Seongmin Kim, and In-Saeng Suh, "Performance Analysis of an Optimization Algorithm for Metamaterial Design on the Integrated High-Performance Computing and Quantum Systems," *arXiv preprint*, pp. 1-11, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [63] Gabrielis Cerniauskas, Haleema Sadia, and Parvez Alam, "Machine Intelligence in Metamaterials Design: A Review," *Oxford Open Materials Science*, vol. 4, no. 1, pp. 1-30, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [64] Hamidreza Taghvaei et al., "Scalability Analysis of Programmable Metasurfaces for Beam Steering," *arXiv preprint*, pp. 1-12, 2020. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [65] Yicheng Yang, "Overview of the Current State of Research on Metamaterials in Biomedicine," *Bio Web of Conferences*, vol. 142, pp. 1-15, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [66] Andrei Teodor Matei, Anita Ioana Visan, and Gianina Florentina Popescu-Pelin, "Design and Processing of Metamaterials," *Crystals*, vol. 15, no. 4, pp. 1-38, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [67] Commercialising Metamaterials: A Physics Community Perspective, Zenodo, pp. 1-13, 2025. [Online]. Available: <https://zenodo.org/records/18455505>

- [68] Abida Parveen et al., “A Review on Advancing Electromagnetic Wave Absorption in Metamaterials: Progress, Challenges, Theoretical Background, and Advanced Technological Applications,” *Advanced Materials Technologies*, vol. 10, no. 20, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [69] Paulina Góra, and Przemysław Łopato, “Metamaterials’ Application in Sustainable Technologies and an Introduction to Their Influence on Energy Harvesting Devices,” *Applied Sciences*, vol. 13, no. 13, pp. 1-14, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [70] Christos Miliadis et al., “Metamaterial-Inspired Antennas: A Review of the State of the Art and Future Design Challenges,” *IEEE Access*, vol. 9, pp. 89846-89865, 2021. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [71] Maoqing Xie, Leigang Wang, and Awad A. Ibraheem, “Transient Bending Analysis of the Origami Enriched Metamaterial System: Application of Deep Neural Networks in the Mathematical Framework for Metamaterial Problems,” *Mechanics of Advanced Materials And Structures*, vol. 32, no. 4, pp. 566-580, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [72] Abass Olalekan Ogunniran et al., “Metamaterials and Smart Structures: Leveraging AI for Design, Optimization and Adaptive Engineering Solutions,” *Global Journal of Engineering and Technology Advances*, vol. 24, no. 3, pp. 115-139, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [73] Dongxiao Li et al., “Surface-Enhanced Spectroscopy Technology based on Metamaterials,” *Microsystems & Nanoengineering*, vol. 11, no. 60, pp. 1-36, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [74] Srijan Datta, Antonello Tamburrino, and Lalita Udpa, “Gradient Index Metasurface Lens for Microwave Imaging,” *Sensors*, vol. 22, no. 21, pp. 1-16, 2022. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [75] Chao Qian, Ido Kaminer, and Hongsheng Chen, “A Guidance to Intelligent Metamaterials and Metamaterials Intelligence,” *Nature Communications*, vol. 16, no. 1154, pp. 1-23, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [76] Liming Si et al., “Advances in Artificial Intelligence for Artificial Metamaterials,” *APL Materials*, vol. 12, no. 112, pp. 1-26, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [77] Sangryun Lee et al., “Advancing Programmable Metamaterials through Machine Learning-Driven Buckling Strength Optimization,” *Current Opinion in Solid State and Materials Science*, vol. 31, 2024. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [78] Alexi G. Choueiri, “Metamaterial-Enabled All-Optical Neural Networks: Achieving 300× Energy Reduction and Picosecond-Scale Inference,” *TechRxiv*, pp. 1-8, 2025. [[Google Scholar](#)] [[Publisher Link](#)]
- [79] Haoyang Yu et al., “AI-Driven Approaches in Electromagnetic Metamaterials Design and Application: A Review,” *EPJ Applied Metamaterials*, vol. 12, no. 7, pp. 1-15, 2025. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [80] Md. Mohin Uddin et al., “Metamaterial Antennas for Wireless Communication: A Comprehensive Review,” *Satellite Communications*, vol. 10, no. 1, pp. 23-31, 2025. [[Google Scholar](#)] [[Publisher Link](#)]